



Standard Detail



Tel : 01403 799600
 Email : techsupport@cordek.com

Drg. Title: Cordek Cellvent HX - Raft Slab
 - Air Brick & Adjustable Cavity Vent

Drawn: SP

Date: 11.01.18 Scale: NTS

Drg. No. ENG/GP/CELLVENTHX/02 Rev:

Materials :-

- Refer to Cordek technical data sheets for full detailed material specification
- A. Cordek VOC/Gas Membrane System
- B. Cavity Tray by others
- C. Cordek VOC/Gas Resistant DPC (CGV-014, 015 or 016)
- D. Cordek Adjustable Cavity Vent (CGV-011) & Cordek Air Brick (CGV-014, 015 or 016)
- E. Cordek Adjustable Sleeve - Vertical (CGV-013)
- F. Cordek Adjustable Sleeve - Horizontal (CGV-012)
- G. Cordek Rectangular Sleeved Vent Connector (CGV-001)
- H. Cordek Cellvent HX
- J. Cordek Double Sided Jointing Tape

Notes :-

- This detail is issued for guidance purposes only, with final approval required from the designer
- Do not scale from drawing, use dimensions provided
- All laps and junctions must be fully sealed with appropriate welding techniques or jointing system
- The intended construction sequence should be considered prior to selection of the appropriate Cordek standard detail to ensure that installation is practical and achievable
- In accordance with BS8102:2009, should hydrostatic water pressure be a risk, additional waterproofing methods should be considered.